

Converters

A-1 live

USB audiointerface with two symmetric XLR outputs



Converters A-1 live

The A-1 live is a two-channel USB audio interface with balanced XLR outputs. It enables the high-quality and trouble-free transmission of audio signals from a computer to a professional sound system and can be used without the installation of drivers.



Main features

- 2 balanced XLR outputs for stereo or 2-channel output
- No hum thanks to galvanic isolation
- No separate power supply required
- 16 bit 44.1 / 48 kHz

Available with the following color options



Black



Technical data

Features

| | |
|------------|---|
| connectors | USB 1.1 Full Speed, galvanically isolated |
|------------|---|

| | |
|------------------------|------------------|
| dimensions (W × H × D) | 105 × 45 × 50 mm |
|------------------------|------------------|

Electronic features

| | |
|--------------|--|
| power supply | USB powered / no separate power supply is required |
|--------------|--|

| | |
|---------------|------------------------|
| audio outputs | 2-channel balanced XLR |
|---------------|------------------------|

| | |
|-----------|----------------------|
| audio DAC | 16-Bit 44,1 / 48 kHz |
|-----------|----------------------|

| | |
|--------------|---------|
| output level | +10 dBu |
|--------------|---------|

| | |
|--|------------------------|
| | 2-channel balanced XLR |
|--|------------------------|

Fohhn Audio AG
Großer Forst 15
72622 Nuertingen
Germany

Phone +49 7022 93323-0
Fax +49 7022 93324-0
www.fohhn.com
info@fohhn.com

